















Born on the racetrack and developed for road use. the APRC system represents the ultimate in electronic control management. A complete package ensures maximum safety on the road and improves performance on track,

The latest-generation 6 axis IMU continuously communicates with the ECU and multi-map cornering ABS to ensure a precise and prompt response from the APRC suite,

control with precise, high-performance intervention logic.

AWC Aprilia Wheelie Control, the adjustable wheelie

because it allows the rider to maintain a set speed

for very rapid shifting without closing the throttle or using the clutch. It is also equipped with the downshift function, to allow for clutchless downshifting.

ATC Aprilia Traction Control, adjustable traction control system. ACC Aprilia Cruise Control, convenient on longer trips without touching the throttle. AOS Aprilia Quick Shift, the electronic gearbox that allows AEB Aprilia Engine Brake, the system to control engine braking when closing the throttle. AEM Aprilia Engine Map, the different mappings on offer change the character and method of power delivery. ABS with cornering function, adjustable according to three different intervention levels. \*Units. Accessories and Merchandise are Subject to Availability





## UPGRADE YOUR EMOTIONS

The wide range of accessories designed for the RS 660 emphasise the different spirits of the vehicle. The Aprilia exhaust by Akrapovic, in its "For Race Use Only" configuration for use on private circuits, intensifies the sports experience with its sound and first-rate performance. Thanks to exclusive mapping, the rider can exploit the full potential of the bike by switching the quickshift function to deliver a race/reverse shift pattern. The "racing" mood is further enhanced with billet aluminium brake and clutch levers, wheel stickers and the ultra-light carbon fibre licence plate mount, perfectly combining aesthetics with the sophistication of premium materials.





- // Wheel stickers
- // Carbon licence plate holder
- // Stand pawls
- // Fuel tank covers
- // Front brake pump reservoir cover
- // Indoor vehicle cover
- // Homologated Aprilia exhaust by Akrapovic





## READY TO GO

While its sporty lines highlight the racing vocation of the RS 660, a range of dedicated accessories allow for light touring use, boosting both comfort and load capacity.

- // Saddlebag
- // Tank bag
- // Comfort saddle





## 

Engine	Aprilia forward-facing parallel twin, four stroke, liquid-cooled with radiator and water-oil heat exchanger, DOHC with silent chain on the right side, four valves per cylinder
Engine capacity	659 cc
Max power	73.5 Kw (100 HP) at 10,500 rpm
Max torque	67.0 Nm at 8,500 rpm
Chassis	Aluminium dual beam chassis with removable seat-supporting subframe
Fuel system	Airbox with front air vent. Two 48 mm throttle bodies. Ride-by-wire management
Transmission	Six gears with Aprilia Quick Shift (AQS) up and down system
Front suspension	Kayaba 8 41 mm upside down fork with top out spring, Aluminium pins to fasten radial callipers adjustment 120 mm wheel travel
Rear suspension	Asymmetrical aluminium swingarm. Single shock and top out spring with rebound and spring pre-load adjustment 130 mm wheel travel
Front brake	320 mm diameter double disc. Brembo radial callipers with 4 horizontally opposed 32 mm pistons. Radial pump and metal braided brake hose
Rear brake	220 mm diameter disc: Brembo calliper with two 34 mm separate pistons. Pump with integrated tank and metal braided hose
ABS system	Multimap Cornering ABS
Front wheel	3.5"x17" aluminium alloy wheel-Tubeless radial tyre, 120/70 ZR 17"
Rear wheel	5.5"x17" aluminium alloy wheel-Tubeless radial tyre, 180/55 ZR 17" (alternatively 180/60 ZR17)
Seat height	820 mm
Fuel tank capacity	15 L (1 L reserve)
Kerb weight	183 kg (In compliance with VO (EU) 168/2013 standards, with all operating liquids, with standard equipment and fuel tank filled to at least 90% useful capacity)
Electronic management	6-axis IMU, APRC suite that includes ATC (traction control), AWC (wheelie control), AEB (engine brake) AEM (engine mapping), ACC (cruise control) 5 riding models (Road and Track, E pre-set and 2 customisable)
Compliance	Euro 5



The company reserves the right to make technical and aesthelic changes at any time. Full information on models and accessories is available at vowe arrifa.co.d. Ride carefully, always wearing a helment and suitable gear. Always comply with the rules of the road and respect the environment. Read the operating and maintenance manual carefully. Always ask for original and approved spare parts in accordance with current legislation, Visit an Official Aprilla Dealership or Authorised Retaler for a secure purchase and guaranteed service support.

PT Piaggio Indonesia customer service: (021) 1500 585, customer.service@id.piaggio.com

COMPANY WITH ENVIRONMENTAL SYSTEM CERTIFIED BY DNV = ISO 14001 = COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV =ISO 9001= COMPANY WITH SAFETY SYSTEM CERTIFIED BY DNV = OHSAS 18001=

Aprilia is a registered trademark of Piaggio & C. S.p.A.

## aprilia®



